

WEST Search History

DATE: Wednesday, September 14, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L21	L20 same (multiple or plurality) and sequential	26
<input type="checkbox"/>	L20	(ligase or ligation) same (construct or construction or make or making or synthesis) same (surface or solid or support) same (gene or polynucleotide or oligonucleotide or DNA or RNA)	1223
<input type="checkbox"/>	L19	(ligase or ligation) near (construct or construction or make or making or synthesis) near (surface or solid or support)	0
<input type="checkbox"/>	L18	(ligase or ligation) same (construct or construction or make or making or synthesis) same (surface or solid or support)	1935
<input type="checkbox"/>	L17	template same (ligase or ligation) same (construct or construction or make or making) same (surface or solid or support)	53
<input type="checkbox"/>	L16	sequential same (hybridization or hybridize) same (ligase or ligation) same (construct or construction or make or making)	30
<input type="checkbox"/>	L15	(sequential near (hybridization or hybridize) same (ligase or ligation)) same (construct or construction or make or making)	0
<input type="checkbox"/>	L14	sequential near (hybridization or hybridize or ligate or ligation) same (construct or construction or make or making)	41
<input type="checkbox"/>	L13	sequential near (hybridization or hybridize or ligate or ligation)	344
<input type="checkbox"/>	L12	L9 same template	34
<input type="checkbox"/>	L11	L9 same short	2
<input type="checkbox"/>	L10	L9 same sequential	0
<input type="checkbox"/>	L9	(assemble or assembly or synthesize or synthesis or construction) near (gene or oligonucleotide or polynucleotide) near (ligase or enzyme or enzymatic or ligation)	456
<input type="checkbox"/>	L8	(assemble or assembly or synthesize or synthesis or construction) same (gene or oligonucleotide or polynucleotide) same (ligase or enzyme or enzymatic or ligation)	32220
<input type="checkbox"/>	L7	6479262.pn.	2
<input type="checkbox"/>	L6	ligase near "anchor"	1
<input type="checkbox"/>	L5	ligase near "anchor probe"	1
<input type="checkbox"/>	L4	L3 not L2	5
<input type="checkbox"/>	L3	(coupled or couple or linked or link or crosslink or "cross link" or "cross-link" or tether or tethered or anchor or anchored or bound or bind or connect) near ligase	220
<input type="checkbox"/>	L2	(coupled or couple or linked or link or crosslink or "cross link" or "cross-link" or tether or anchor or anchored or bound or bind or connect) near ligase	215

END OF SEARCH HISTORY

FILE 'USPATFULL, MEDLINE, CAPLUS' ENTERED AT 11:35:58 ON 14 SEP 2005

L1 24 S TETHER?(4A)LIGASE
L2 2 S TETHER?(W)LIGASE
L3 1856 S (CROSS(W)LINK OR COUPL? OR ANCHOR? OR LINK? OR BOUND OR BIND)
L4 58 S (CROSS(W)LINK OR COUPL? OR ANCHOR? OR LINK? OR BOUND OR BIND)
L5 52 DUP REM L4 (6 DUPLICATES REMOVED)
L6 1684 DUP REM L3 (172 DUPLICATES REMOVED)

=> log h

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
97.79	98.21

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-2.92	-2.92

CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 11:50:37 ON 14 SEP 2005

INVENTOR(S): MacLeod, Michael C., Austin, TX, United States
 Aldaz, C. Marcelo, Austin, TX, United States
 Gaddis, Sara S., Austin, TX, United States
 PATENT ASSIGNEE(S): Board of Regents, The University of Texas System,
 Austin, TX, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6221600	B1	20010424
APPLICATION INFO.:	US 1999-414847		19991008 (9)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Brusca, John S.		
ASSISTANT EXAMINER:	Siu, Stephen		
LEGAL REPRESENTATIVE:	Fulbright & Jaworski, LLP		
NUMBER OF CLAIMS:	84		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	30 Drawing Figure(s); 16 Drawing Page(s)		
LINE COUNT:	3179		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to a method for the detection of gene expression and analysis of both known and unknown genes. The invention is a highly sensitive, rapid and cost-effective means of monitoring gene expression, as well as for the analysis and quantitation of changes in gene expression for a defined set of genes and in response to a wide variety of events. It is an important feature of the present invention that no single molecular species of cDNA gives rise to more than one fragment in the collection of products which are subsequently amplified and representative of each expressed gene. This achievement is facilitated by immobilizing the cDNA prior to digesting and then digesting with sequentially with two frequently cutting enzymes. Linker oligomers are ligated to each cut site following the respective digestion. Primers, complementary to the oligomer sequence with an additional 3' variable sequence are used to amplify the fragments. Using an array of fragments theoretically facilitates the amplification of all of the possible messages in a given sample.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 52 OF 52 CAPLUS COPYRIGHT 2005 ACS on STN
 ACCESSION NUMBER: 1986:16901 CAPLUS
 DOCUMENT NUMBER: 104:16901
 TITLE: DNA ligase activity in pea seedlings (*Pisum sativum* L.): development of a sensitive assay system and partial characterization of soluble and chromatin-bound ligases
 AUTHOR(S): Daniel, Paul P.; Bryant, John A.; Barker, David G.
 CORPORATE SOURCE: Dep. Plant Sci., Univ. Coll., Cardiff, CF1 1XL, UK
 SOURCE: Biochemistry International (1985), 11(5), 645-52
 CODEN: BIINDF; ISSN: 0158-5231
 DOCUMENT TYPE: Journal
 LANGUAGE: English

AB An efficient extraction procedure and a rapid and quant. assay for plant DNA ligases are described. By using these extraction and assay procedures, it was possible for the 1st time to detect and partially characterize 2 populations of DNA ligase, one chromatin-bound and one soluble, in pea seedlings. The 2 populations of the enzyme showed similar assay requirements and pH optima and were both stimulated by Nonidet P40 and by PEG 6000. The chromatin-bound ligase was stimulated by spermidine, whereas the soluble ligase was inhibited by this compound

=> d hist

(FILE 'HOME' ENTERED AT 11:34:57 ON 14 SEP 2005)